



T.J. SOLUTIONS CO.,LTD

**CONTROL
TECHNIQUES**

Class-leading product portfolio



All Products

AC Drives



Commander S Micro Drive

General purpose drives

0.18 kW - 11 kW

1 ϕ 100 & 200 V,
3 ϕ 200 & 400 V



Commander C

General purpose drives

0.25 kW - 132 kW

1 ϕ 100 & 200 V,
3 ϕ 200, 400, 575, 690 V



Unidrive

High performance motor control

0.25 kW - 2.8 MW

100, 200, 400, 575, 690 V



**Specialist drives for
pump, elevator &
HVAC**



NE200 & NE300

General purpose drives

0.4 kW - 900 kW

1 ϕ 200 V,
3 ϕ 400 V

AC and Servo control for industry



Website: www.tjsolution.com

Email: sales@tjsolution.com

Line: @tjsolutions

Tel: 02-130-6491 to 2

Fax: 02-130-6493

ทดลอง Demo





T.J. SOLUTIONS CO.,LTD

DC Drives

Freestanding Drives

Servo Drives



Digitax

For continuous and pulse duty applications

0.7 Nm - 51 Nm with
153 Nm peak

1.5 A -16 A
with 48 A peak

200, 400 V




Mentor MP

High performance DC drive

25 A -7400 A

two or four quadrant operation

400, 575, 690 V



Unimotor HD and Fan Blown

Brushless AC servo
motor range

0.64 Nm - 85.9 Nm
(255 Nm peak)

060 - 190 Frames



DFS

Ready to use AC cubicle drives

55 kW - 2.8 MW

400, 575, 690 V



Website: www.tjsolution.com

Email: sales@tjsolution.com

Line: @tjsolutions

Tel: 02-130-6491 to 2

Fax: 02-130-6493



T.J. SOLUTIONS CO.,LTD

Class-leading product portfolio



KB Electronics

*"The Right Control
for Your Application"*

DC Drives



KBPC & KBRC

NEMA 4X / IP65

0.01 kW – 1.5 kW

115 and 230 VAC



KBWM & MD

NEMA 1, IP50

0.0075 kW - 1.5kW

115 and 230 VAC



KBIC, KBMM & KBRG

Chassis / IP20

0.0075 kW - 3.7 kW

115 and 230 VAC

TRIAC Controls



**KBGE, KBMC, KBMS,
KBNH, KBSC & KBWC**

Chassis, Panel Mount, Plug In, Wall Mount

2.5 - 20A

115 and 230VAC



Website: www.tjsolution.com

Email: sales@tjsolution.com

Line: @tjsolutions

Tel: 02-130-6491 to 2

Fax: 02-130-6493



T.J. SOLUTIONS CO.,LTD

AC Drives



KBVF

Chassis IP20

1 and 3-Phase Input

0.075 kW – 3.7 kW

115, 230 and 460 VAC



KBMA & KBWA

NEMA 1, IP50 & 20

Single Phase Input

0.18 kW - 0.75 kW

115 and 230 VAC



KBAC

NEMA 4X / IP65

1 and 3-Phase Input

0.075 kW – 3.7 kW

115, 230 and 460 VAC



KBDA

NEMA 4X / IP65

1 and 3-Phase Input

0.075 kW– 3.7 kW

115, 230 and 460 VAC



Website: www.tjsolution.com

Email: sales@tjsolution.com

Line: @tjsolutions

Tel: 02-130-6491 to 2

Fax: 02-130-6493